

BID SHEET

The Bid Sheets for this bid are available on the web at <http://www.polk-county.net/boccsite/doing-business/bids/>. All Bid Sheets are in Excel format and **are to be submitted on a cd with your Bid Package along with the hard copy. The CD must be labeled with the company name and Bid number.**

Deviation from the Bid Sheets is strictly prohibited and will not be accepted. The Bid Sheets are locked and you need only enter the unit cost in the same column. The Bid Sheet will automatically calculate the extension, therefore you must enter the Unit Cost per the Unit Packaging as requested on the Bid Sheets. Any notes you wish to make are to be made in the Remarks section below.

REMARKS: NOT BIDDING SHEETS PC-002 OR PC-002ALT

ASPHALT PAVING SYSTEMS, INC
VENDOR NAME

**BID SHEET
PC-003 CRACK SEALING**

| Item No. | Description | Unit | Unit Price |
|---------------|---|---------|------------|
| PC-003 | CRACK SEALING | | |
| | 0 - 500 | GAL | 20 |
| | 501 - 1,000 | GAL | 18 |
| | 1,001 - 5,000 | GAL | 16 |
| | 5,001 AND OVER | GAL | 15 |
| 101-1 | MOBILIZATION | | |
| | Work Order Total \$0.00 - \$50,000 | LS | 500 |
| | Work Order Total \$50,001 - \$100,000 | LS | 200 |
| | Work Order Total \$100,001 - \$500,000 | LS | 200 |
| | Work Order Total Over \$500,000 | LS | 200 |
| 102-1 | Maintenance of Traffic (MOT) | | |
| | Standard Index 600 Series MOT for 2-Lane, 2-Way Closure | Per Day | 1250 |

BASIS FOR AWARD TOTAL BID: \$2,419.00

| ADDITIONAL PRICING FOR INFORMATION | | | |
|---|---|----|------|
| PC-011 | STRIPING AND PAVEMENT MARKING REMOVAL | | |
| PC-011-1 | REMOVAL BY WATER BLASTING | SF | 1 |
| PC-011-2 | REMOVAL BY GRINDING | SF | 0.5 |
| PC-012 | REFLECTIVE PAVEMENT MARKERS | | |
| PC-012-1 | REFLECTIVE PAVEMENT MARKERS (REMOVE) | EA | 1 |
| PC-012-2 | FURNISH/INSTALL BI-DIRECTIONAL YELLOW MARKER (A/A) | EA | 5 |
| PC-012-3 | FURNISH/INSTALL BI-DIRECTIONAL WHITE/RED MARKER (C/R) | EA | 5 |
| PC-012-4 | FURNISH/INSTALL MONO-DIRECTIONAL YELLOW MARKER (M/A) | EA | 5 |
| 710 | PAINTED PAVEMENT MARKINGS | | |
| 11-111 | Standard, White, Solid 6" | NM | 1585 |
| 11-122 | Standard, White, Solid 8" | LF | 0.5 |
| 11-123 | Standard, White, Solid 12" | LF | 1.5 |
| 11-124 | Standard, White, Solid 18" | LF | 2.25 |
| 11-125 | Standard, White, Solid 24" | LF | 3 |
| 11-131 | Standard, White Skip 6" | GM | 530 |
| 11-151 | Standard, White, Dotted/Guideline 6-10 Gap, 6" | LF | 0.5 |
| 11-160 | Standard, White, Message | EA | 50 |
| 11-170 | Standard, White, Arrows | EA | 25 |
| 11-180 | Standard, White, Yield Line | LF | 5 |
| 11-211 | Standard, Yellow, Solid 6" | NM | 1585 |
| 11-222 | Standard, Yellow, Solid 8" | LF | 0.5 |
| 11-223 | Standard, Yellow, Solid 12" | LF | 1.5 |
| 11-224 | Standard, Yellow, Solid 18" | LF | 2.25 |
| 11-225 | Standard, Yellow, Solid 24" | LF | 3 |
| 11-231 | Standard, Yellow, Skip 6" | GM | 675 |
| 11-251 | Standard, Yellow, Dotted/Guideline 6-10 Gap, 6" | LF | 0.5 |
| 711 | Thermoplastic Pavement Markings (711) | | |
| 11-111 | Thermo, Standard, White, Solid 6" | NM | 4000 |
| 11-122 | Thermo, Standard, White, Solid 8" | LF | 1.2 |
| 11-123 | Thermo, Standard, White, Solid 12" | LF | 2.5 |
| 11-124 | Thermo, Standard, White, Solid 18" | LF | 3.75 |
| 11-125 | Thermo, Standard, White, Solid 24" | LF | 5 |
| 11-131 | Thermo, Standard, White Skip 6" | GM | 1125 |
| 11-151 | Thermo, Standard, White, Dotted/Guideline 6-10 Gap, 6" | LF | 1.1 |
| 11-160 | Thermo, Standard, White, Message | EA | 190 |
| 11-170 | Thermo, Standard, White, Arrows | EA | 60 |
| 11-180 | Thermo, Standard, White, Yield Line | LF | 8 |
| 11-211 | Thermo, Standard, Yellow, Solid 6" | NM | 4000 |
| 11-222 | Thermo, Standard, Yellow, Solid 8" | LF | 1.1 |
| 11-223 | Thermo, Standard, Yellow, Solid 12" | LF | 2.5 |
| 11-224 | Thermo, Standard, Yellow, Solid 18" | LF | 3.75 |
| 11-225 | Thermo, Standard, Yellow, Solid 24" | LF | 5 |
| 11-231 | Thermo, Standard, Yellow, Skip 6" | GM | 1125 |
| 11-251 | Thermo, Standard, Yellow, Dotted/Guideline 6-10 Gap, 6" | LF | 1.1 |

ASPHALT PAVING SYSTEMS, INC

Company Name

**BID SHEET
PC-004 CHIP SEAL**

| Item No. | Description | Unit | Unit Price |
|-----------------|---|---------|------------|
| PC-004-1 | CHIP SEAL (SINGLE APPLICATION) | | |
| | 0 - 25,000 | SY | 2.8 |
| | 25,001 - 50,000 | SY | 2.39 |
| | 50,001 AND OVER | SY | 2.26 |
| PC-004-2 | CHIP SEAL (DOUBLE APPLICATION) | | |
| | 0 - 25,000 | SY | 4.15 |
| | 25,001 - 50,000 | SY | 3.88 |
| | 50,001 AND OVER | SY | 3.78 |
| | 50,001 AND OVER | SY | 3.78 |
| 902-2 | Silica Sand | SY | 0.15 |
| PC-011 | STRIPING AND PAVEMENT MARKING REMOVAL | | |
| PC-011-1 | REMOVAL BY WATER BLASTING | SF | 1 |
| PC-011-2 | REMOVAL BY GRINDING | SF | 0.5 |
| PC-012 | REFLECTIVE PAVEMENT MARKERS | | |
| PC-012-1 | REFLECTIVE PAVEMENT MARKERS (REMOVE) | EA | 1 |
| PC-012-2 | FURNISH/INSTALL BI-DIRECTIONAL YELLOW MARKER (A/A) | EA | 5 |
| PC-012-3 | FURNISH/INSTALL BI-DIRECTIONAL WHITE/RED MARKER (C/R) | EA | 5 |
| PC-012-4 | FURNISH/INSTALL MONO-DIRECTIONAL YELLOW MARKER (M/A) | EA | 5 |
| 710 | PAINTED PAVEMENT MARKINGS | | |
| 11-111 | Standard, White, Solid 6" | NM | 1585 |
| 11-122 | Standard, White, Solid 8" | LF | 0.5 |
| 11-123 | Standard, White, Solid 12" | LF | 1.5 |
| 11-124 | Standard, White, Solid 18" | LF | 2.25 |
| 11-125 | Standard, White, Solid 24" | LF | 3 |
| 11-131 | Standard, White Skip 6" | GM | 530 |
| 11-151 | Standard, White, Dotted/Guideline 6-10 Gap, 6" | LF | 0.5 |
| 11-160 | Standard, White, Message | EA | 50 |
| 11-170 | Standard, White, Arrows | EA | 25 |
| 11-180 | Standard, White, Yield Line | LF | 5 |
| 11-211 | Standard, Yellow, Solid 6" | NM | 1585 |
| 11-222 | Standard, Yellow, Solid 8" | LF | 0.5 |
| 11-223 | Standard, Yellow, Solid 12" | LF | 1.5 |
| 11-224 | Standard, Yellow, Solid 18" | LF | 2.25 |
| 11-225 | Standard, Yellow, Solid 24" | LF | 3 |
| 11-231 | Standard, Yellow, Skip 6" | GM | 675 |
| 11-251 | Standard, Yellow, Dotted/Guideline 6-10 Gap, 6" | LF | 0.5 |
| 711 | Thermoplastic Pavement Markings (711) | | |
| 11-111 | Thermo, Standard, White, Solid 6" | NM | 4000 |
| 11-122 | Thermo, Standard, White, Solid 8" | LF | 1.2 |
| 11-123 | Thermo, Standard, White, Solid 12" | LF | 2.5 |
| 11-124 | Thermo, Standard, White, Solid 18" | LF | 3.75 |
| 11-125 | Thermo, Standard, White, Solid 24" | LF | 5 |
| 11-131 | Thermo, Standard, White Skip 6" | GM | 1125 |
| 11-151 | Thermo, Standard, White, Dotted/Guideline 6-10 Gap, 6" | LF | 1.1 |
| 11-160 | Thermo, Standard, White, Message | EA | 190 |
| 11-170 | Thermo, Standard, White, Arrows | EA | 60 |
| 11-180 | Thermo, Standard, White, Yield Line | LF | 8 |
| 11-211 | Thermo, Standard, Yellow, Solid 6" | NM | 4000 |
| 11-222 | Thermo, Standard, Yellow, Solid 8" | LF | 1.1 |
| 11-223 | Thermo, Standard, Yellow, Solid 12" | LF | 2.5 |
| 11-224 | Thermo, Standard, Yellow, Solid 18" | LF | 3.75 |
| 11-225 | Thermo, Standard, Yellow, Solid 24" | LF | 5 |
| 11-231 | Thermo, Standard, Yellow, Skip 6" | GM | 1125 |
| 11-251 | Thermo, Standard, Yellow, Dotted/Guideline 6-10 Gap, 6" | LF | 1.1 |
| 101-1 | MOBILIZATION | | |
| | Work Order Total \$0.00 - \$50,000 | LS | 2500 |
| | Work Order Total \$50,001 - \$100,000 | LS | 2500 |
| | Work Order Total \$100,001 - \$500,000 | LS | 2500 |
| | Work Order Total Over \$500,000 | LS | 2500 |
| 102-1 | Maintenance of Traffic (MOT) | | |
| | Standard Index 600 Series MOT for 2-Lane, 2-Way Closure | Per Day | 1250 |

BASIS FOR AWARD TOTAL BID: \$26,296.19

| ADDITIONAL PRICING FOR INFORMATION | | | |
|------------------------------------|--|----|------|
| SHOULDER AND ROADSIDE | | | |
| 570-1-1 | PERFORMANCE TURF - SEED AND MULCH | SY | 1.95 |
| 570-1-2A | PERFORMANCE TURF - SOD (ST. AUGUSTINE) | SY | 2.75 |
| 570-1-2B | PERFORMANCE TURF - SOD (BAHIA) | SY | 2.25 |
| 577-70 | SHOULDER REWORK | SY | 1.75 |
| 104-13-1 | SILT FENCE TYPE III | LF | 0.85 |
| 110-10 | MAILBOX (REMOVE AND REPLACE) | EA | 200 |

ASPHALT PAVING SYSTEMS, INC
Company Name

**BID SHEET
PC-005 MICRO-SURFACING**

| Item No. | Description | Unit | Unit Price |
|---------------|---|---------|------------|
| PC-003 | CRACK SEALING | | |
| | 0 - 500 | GAL | 20 |
| | 501 - 1,000 | GAL | 18 |
| | 1,001 - 5,000 | GAL | 16 |
| | 5,001 AND OVER | GAL | 15 |
| PC-005 | MICRO-SURFACING | | |
| PC-005-1 | SINGLE MICRO | SY | 2.25 |
| PC-005-2 | DOUBLE MICRO | SY | 3.45 |
| PC-005-3 | RUT FILLING | TON | 150 |
| PC-011 | STRIPING AND PAVEMENT MARKING REMOVAL | | |
| PC-011-1 | REMOVAL BY WATER BLASTING | SF | 1 |
| PC-011-2 | REMOVAL BY GRINDING | SF | 0.5 |
| PC-012 | REFLECTIVE PAVEMENT MARKERS | | |
| PC-012-1 | REFLECTIVE PAVEMENT MARKERS (REMOVE) | EA | 1 |
| PC-012-2 | FURNISH/INSTALL BI-DIRECTIONAL YELLOW MARKER (A/A) | EA | 5 |
| PC-012-3 | FURNISH/INSTALL BI-DIRECTIONAL WHITE/RED MARKER (C/R) | EA | 5 |
| PC-012-4 | FURNISH/INSTALL MONO-DIRECTIONAL YELLOW MARKER (M/A) | EA | 5 |
| 710 | PAINTED PAVEMENT MARKINGS | | |
| 11-111 | Standard, White, Solid 6" | NM | 1585 |
| 11-122 | Standard, White, Solid 8" | LF | 0.5 |
| 11-123 | Standard, White, Solid 12" | LF | 1.5 |
| 11-124 | Standard, White, Solid 18" | LF | 2.25 |
| 11-125 | Standard, White, Solid 24" | LF | 3 |
| 11-131 | Standard, White Skip 6" | GM | 530 |
| 11-151 | Standard, White, Dotted/Guideline 6-10 Gap, 6" | LF | 0.5 |
| 11-160 | Standard, White, Message | EA | 50 |
| 11-170 | Standard, White, Arrows | EA | 25 |
| 11-180 | Standard, White, Yield Line | LF | 5 |
| 11-211 | Standard, Yellow, Solid 6" | NM | 1585 |
| 11-222 | Standard, Yellow, Solid 8" | LF | 0.5 |
| 11-223 | Standard, Yellow, Solid 12" | LF | 1.5 |
| 11-224 | Standard, Yellow, Solid 18" | LF | 2.25 |
| 11-225 | Standard, Yellow, Solid 24" | LF | 3 |
| 11-231 | Standard, Yellow, Skip 6" | GM | 675 |
| 11-251 | Standard, Yellow, Dotted/Guideline 6-10 Gap, 6" | LF | 0.5 |
| 711 | Thermoplastic Pavement Markings (711) | | |
| 11-111 | Thermo, Standard, White, Solid 6" | NM | 4000 |
| 11-122 | Thermo, Standard, White, Solid 8" | LF | 1.2 |
| 11-123 | Thermo, Standard, White, Solid 12" | LF | 2.5 |
| 11-124 | Thermo, Standard, White, Solid 18" | LF | 3.75 |
| 11-125 | Thermo, Standard, White, Solid 24" | LF | 5 |
| 11-131 | Thermo, Standard, White Skip 6" | GM | 1125 |
| 11-151 | Thermo, Standard, White, Dotted/Guideline 6-10 Gap, 6" | LF | 1.1 |
| 11-160 | Thermo, Standard, White, Message | EA | 190 |
| 11-170 | Thermo, Standard, White, Arrows | EA | 60 |
| 11-180 | Thermo, Standard, White, Yield Line | LF | 8 |
| 11-211 | Thermo, Standard, Yellow, Solid 6" | NM | 4000 |
| 11-222 | Thermo, Standard, Yellow, Solid 8" | LF | 1.1 |
| 11-223 | Thermo, Standard, Yellow, Solid 12" | LF | 2.5 |
| 11-224 | Thermo, Standard, Yellow, Solid 18" | LF | 3.75 |
| 11-225 | Thermo, Standard, Yellow, Solid 24" | LF | 5 |
| 11-231 | Thermo, Standard, Yellow, Skip 6" | GM | 1125 |
| 11-251 | Thermo, Standard, Yellow, Dotted/Guideline 6-10 Gap, 6" | LF | 1.1 |
| 101-1 | MOBILIZATION | | |
| | Work Order Total \$0.00 - \$50,000 | LS | 1500 |
| | Work Order Total \$50,001 - \$100,000 | LS | 1500 |
| | Work Order Total \$100,001 - \$500,000 | LS | 1500 |
| | Work Order Total Over \$500,000 | LS | 1500 |
| 102-1 | Maintenance of Traffic (MOT) | | |
| | Standard Index 600 Series MOT for 2-Lane, 2-Way Closure | Per Day | 1250 |

BASIS FOR AWARD TOTAL BID: \$22,497.70

| ADDITIONAL PRICING FOR INFORMATION | | | |
|------------------------------------|--|----|------|
| SHOULDER AND ROADSIDE | | | |
| 570-1-1 | PERFORMANCE TURF - SEED AND MULCH | SY | 1.95 |
| 570-1-2A | PERFORMANCE TURF - SOD (ST. AUGUSTINE) | SY | 2.75 |
| 570-1-2B | PERFORMANCE TURF - SOD (BAHIA) | SY | 2.25 |
| 577-70 | SHOULDER REWORK | SY | 1.75 |
| 104-13-1 | SILT FENCE TYPE III | LF | 0.85 |
| 110-10 | MAILBOX (REMOVE AND REPLACE) | EA | 200 |

Company Name ASPHALT PAVING SYSTEMS, INC

**BID SHEET
PC-006 SCRUB SEAL**

| Item No. | Description | Unit | Unit Price |
|---------------|---|---------|------------|
| PC-006 | SCRUB SEAL | | |
| | 0 - 25,000 | SY | 3.65 |
| | 25,001 - 50,000 | SY | 3.25 |
| | 50,001 AND OVER | SY | 3.15 |
| PC-009 | FOG SEAL | | |
| | 0 - 25,000 | SY | 0.55 |
| | 25,001 - 50,000 | SY | 0.4 |
| | 50,001 AND OVER | SY | 0.35 |
| 902-2 | Silica Sand | SY | 0.15 |
| PC-011 | STRIPING AND PAVEMENT MARKING REMOVAL | | |
| PC-011-1 | REMOVAL BY WATER BLASTING | SF | 1 |
| PC-011-2 | REMOVAL BY GRINDING | SF | 0.5 |
| PC-012 | REFLECTIVE PAVEMENT MARKERS | | |
| PC-012-1 | REFLECTIVE PAVEMENT MARKERS (REMOVE) | EA | 1 |
| PC-012-2 | FURNISH/INSTALL BI-DIRECTIONAL YELLOW MARKER (A/A) | EA | 5 |
| PC-012-3 | FURNISH/INSTALL BI-DIRECTIONAL WHITE/RED MARKER (C/R) | EA | 5 |
| PC-012-4 | FURNISH/INSTALL MONO-DIRECTIONAL YELLOW MARKER (M/A) | EA | 5 |
| 710 | PAINTED PAVEMENT MARKINGS | | |
| 11-111 | Standard, White, Solid 6" | NM | 1585 |
| 11-122 | Standard, White, Solid 8" | LF | 0.5 |
| 11-123 | Standard, White, Solid 12" | LF | 1.5 |
| 11-124 | Standard, White, Solid 18" | LF | 2.25 |
| 11-125 | Standard, White, Solid 24" | LF | 3 |
| 11-131 | Standard, White Skip 6" | GM | 530 |
| 11-151 | Standard, White, Dotted/Guideline 6-10 Gap, 6" | LF | 0.5 |
| 11-160 | Standard, White, Message | EA | 50 |
| 11-170 | Standard, White, Arrows | EA | 25 |
| 11-180 | Standard, White, Yield Line | LF | 5 |
| 11-211 | Standard, Yellow, Solid 6" | NM | 1585 |
| 11-222 | Standard, Yellow, Solid 8" | LF | 0.5 |
| 11-223 | Standard, Yellow, Solid 12" | LF | 1.5 |
| 11-224 | Standard, Yellow, Solid 18" | LF | 2.25 |
| 11-225 | Standard, Yellow, Solid 24" | LF | 3 |
| 11-231 | Standard, Yellow, Skip 6" | GM | 675 |
| 11-251 | Standard, Yellow, Dotted/Guideline 6-10 Gap, 6" | LF | 0.5 |
| 711 | Thermoplastic Pavement Markings (711) | | |
| 11-111 | Thermo, Standard, White, Solid 6" | NM | 4000 |
| 11-122 | Thermo, Standard, White, Solid 8" | LF | 1.2 |
| 11-123 | Thermo, Standard, White, Solid 12" | LF | 2.5 |
| 11-124 | Thermo, Standard, White, Solid 18" | LF | 3.75 |
| 11-125 | Thermo, Standard, White, Solid 24" | LF | 5 |
| 11-131 | Thermo, Standard, White Skip 6" | GM | 1125 |
| 11-151 | Thermo, Standard, White, Dotted/Guideline 6-10 Gap, 6" | LF | 1.1 |
| 11-160 | Thermo, Standard, White, Message | EA | 190 |
| 11-170 | Thermo, Standard, White, Arrows | EA | 60 |
| 11-180 | Thermo, Standard, White, Yield Line | LF | 8 |
| 11-211 | Thermo, Standard, Yellow, Solid 6" | NM | 4000 |
| 11-222 | Thermo, Standard, Yellow, Solid 8" | LF | 1.1 |
| 11-223 | Thermo, Standard, Yellow, Solid 12" | LF | 2.5 |
| 11-224 | Thermo, Standard, Yellow, Solid 18" | LF | 3.75 |
| 11-225 | Thermo, Standard, Yellow, Solid 24" | LF | 5 |
| 11-231 | Thermo, Standard, Yellow, Skip 6" | GM | 1125 |
| 11-251 | Thermo, Standard, Yellow, Dotted/Guideline 6-10 Gap, 6" | LF | 1.1 |
| 101-1 | MOBILIZATION | | |
| | Work Order Total \$0.00 - \$50,000 | LS | 2500 |
| | Work Order Total \$50,001 - \$100,000 | LS | 2500 |
| | Work Order Total \$100,001 - \$500,000 | LS | 2500 |
| | Work Order Total Over \$500,000 | LS | 2500 |
| 102-1 | Maintenance of Traffic (MOT) | | |
| | Standard Index 600 Series MOT for 2-Lane, 2-Way Closure | Per Day | 1250 |

BASIS FOR AWARD TOTAL BID: \$26,284.50

| ADDITIONAL PRICING FOR INFORMATION | | | |
|------------------------------------|--|----|------|
| SHOULDER AND ROADSIDE | | | |
| 570-1-1 | PERFORMANCE TURF - SEED AND MULCH | SY | 1.95 |
| 570-1-2A | PERFORMANCE TURF - SOD (ST. AUGUSTINE) | SY | 2.75 |
| 570-1-2B | PERFORMANCE TURF - SOD (BAHIA) | SY | 2.25 |
| 577-70 | SHOULDER REWORK | SY | 1.75 |
| 104-13-1 | SILT FENCE TYPE III | LF | 0.85 |
| 110-10 | MAILBOX (REMOVE AND REPLACE) | EA | 200 |

ASPHALT PAVING SYSTEMS, INC
Company Name

BID SHEET
PC-007 COLD-IN-PLACE RECYCLING (CIP)

| Item No. | Description | Unit | Unit Price |
|---------------|---|-------|------------|
| PC-001 | Milling from 0 to 1,000 Square Yards | | |
| PC-001-1 | 0" - 1" | Sq Yd | 6 |
| PC-001-2 | 1.01" - 2" | Sq Yd | 8 |
| PC-001-3 | 2.01" - 3" | Sq Yd | 9 |
| PC-001-4 | 3.01" -4" | Sq Yd | 10 |
| PC-001-5 | greater than 4" | Sq Yd | 11 |
| | Milling from 1,001 to 5,000 Square Yards | | |
| PC-001-6 | 0" - 1" | Sq Yd | 4.75 |
| PC-001-7 | 1.01" - 2" | Sq Yd | 5.5 |
| PC-001-8 | 2.01" - 3" | Sq Yd | 6.25 |
| PC-001-9 | 3.01" -4" | Sq Yd | 6.5 |
| PC-001-10 | greater than 4" | Sq Yd | 6.75 |
| | Milling from 5,001 to 25,000 Square Yards | | |
| PC-001-11 | 0" - 1" | Sq Yd | 2.5 |
| PC-001-12 | 1.01" - 2" | Sq Yd | 3 |
| PC-001-13 | 2.01" - 3" | Sq Yd | 3.5 |
| PC-001-14 | 3.01" -4" | Sq Yd | 4 |
| PC-001-15 | greater than 4" | Sq Yd | 4.5 |
| | Milling over 25,000 Square Yards | | |
| PC-001-16 | 0" - 1" | Sq Yd | 1.75 |
| PC-001-17 | 1.01" - 2" | Sq Yd | 2.25 |
| PC-001-18 | 2.01" - 3" | Sq Yd | 2.75 |
| PC-001-19 | 3.01" -4" | Sq Yd | 3.25 |
| PC-001-20 | greater than 4" | Sq Yd | 3.75 |
| 334 | Asphalt Types from 0 to 100 Tons | | |
| 334-1 | Superpave Asphaltic Concrete (Traffic C, SP 9.5) (PG 67-22) | Ton | 109 |
| 334-1 | Superpave Asphaltic Concrete (Traffic C, SP 12.5) (PG 67-22) | Ton | 107 |
| 337-1 | Superpave Asphaltic Concrete (Traffic C, FC-9.5) (PG 76-22) | Ton | 120 |
| 334 | Asphalt Types from 101 to 1,000 Tons | | |
| 334-1 | Superpave Asphaltic Concrete (Traffic C, SP 9.5) (PG 67-22) | Ton | 99 |
| 334-1 | Superpave Asphaltic Concrete (Traffic C, SP 12.5) (PG 67-22) | Ton | 97 |
| 337-1 | Superpave Asphaltic Concrete (Traffic C, FC-9.5) (PG 76-22) | Ton | 110 |
| 334 | Asphalt Types over 1,001 Tons | | |
| 334-1 | Superpave Asphaltic Concrete (Traffic C, SP 9.5) (PG 67-22) | Ton | 94 |
| 334-1 | Superpave Asphaltic Concrete (Traffic C, SP 12.5) (PG 67-22) | Ton | 92 |
| 337-1 | Superpave Asphaltic Concrete (Traffic C, FC-9.5) (PG 76-22) | Ton | 105 |
| PC-007 | Cold-in-Place Recycling (CIP) | | |
| PC-007-1 | Excavation for Widening or Unsuitable Material | CY | 25 |
| PC-007-2 | Added RAP or Aggregate | Ton | 18 |
| | CIP from 0 to 25,000 Square Yards | | |
| PC-007-3 | Cold-in-Place Recycling (CIP)Bituminous Paving | Sq Yd | 7.25 |
| PC-007-4 | Asphalt Emulsion | Gal | 2.45 |
| | CIP from 25,001 to 50,000 Square Yards | | |
| PC-007-5 | Cold-in-Place Recycling (CIP)Bituminous Paving | Sq Yd | 5.75 |
| PC-007-6 | Asphalt Emulsion | Gal | 2.45 |
| | CIP over 50,000 Square Yards | | |
| PC-007-7 | Cold-in-Place Recycling (CIP)Bituminous Paving | Sq Yd | 4.95 |
| PC-007-8 | Asphalt Emulsion | Gal | 2.45 |
| | SHOULDER AND ROADSIDE | | |
| 570-1-1 | PERFORMANCE TURF - SEED AND MULCH | SY | 1.95 |
| 570-1-2A | PERFORMANCE TURF - SOD (ST. AUGUSTINE) | SY | 2.75 |
| 570-1-2B | PERFORMANCE TURF - SOD (BAHIA) | SY | 2.25 |
| 577-70 | SHOULDER REWORK | SY | 1.75 |
| 104-13-1 | SILT FENCE TYPE III | LF | 0.85 |

BID SHEET
PC-007 COLD-IN-PLACE RECYCLING (CIP)

| Item No. | Description | Unit | Unit Price |
|---------------|---|---------|------------|
| 110-10 | MAILBOX (REMOVE AND REPLACE) | EA | 200 |
| PC-012 | REFLECTIVE PAVEMENT MARKERS | | |
| PC-012-1 | REFLECTIVE PAVEMENT MARKERS (REMOVE) | EA | 1 |
| PC-012-2 | FURNISH/INSTALL BI-DIRECTIONAL YELLOW MARKER (A/A) | EA | 5 |
| PC-012-3 | FURNISH/INSTALL BI-DIRECTIONAL WHITE/RED MARKER (C/R) | EA | 5 |
| PC-012-4 | FURNISH/INSTALL MONO-DIRECTIONAL YELLOW MARKER (M/A) | EA | 5 |
| 710 | PAINTED PAVEMENT MARKINGS | | |
| 11-111 | Standard, White, Solid 6" | NM | 1585 |
| 11-122 | Standard, White, Solid 8" | LF | 0.5 |
| 11-123 | Standard, White, Solid 12" | LF | 1.5 |
| 11-124 | Standard, White, Solid 18" | LF | 2.25 |
| 11-125 | Standard, White, Solid 24" | LF | 3 |
| 11-131 | Standard, White Skip 6" | GM | 530 |
| 11-151 | Standard, White, Dotted/Guideline 6-10 Gap, 6" | LF | 0.5 |
| 11-160 | Standard, White, Message | EA | 50 |
| 11-170 | Standard, White, Arrows | EA | 25 |
| 11-180 | Standard, White, Yield Line | LF | 5 |
| 11-211 | Standard, Yellow, Solid 6" | NM | 1585 |
| 11-222 | Standard, Yellow, Solid 8" | LF | 0.5 |
| 11-223 | Standard, Yellow, Solid 12" | LF | 1.5 |
| 11-224 | Standard, Yellow, Solid 18" | LF | 2.25 |
| 11-225 | Standard, Yellow, Solid 24" | LF | 3 |
| 11-231 | Standard, Yellow, Skip 6" | GM | 675 |
| 11-251 | Standard, Yellow, Dotted/Guideline 6-10 Gap, 6" | LF | 0.5 |
| 711 | Thermoplastic Pavement Markings (711) | | |
| 11-111 | Thermo, Standard, White, Solid 6" | NM | 4000 |
| 11-122 | Thermo, Standard, White, Solid 8" | LF | 1.2 |
| 11-123 | Thermo, Standard, White, Solid 12" | LF | 2.5 |
| 11-124 | Thermo, Standard, White, Solid 18" | LF | 3.75 |
| 11-125 | Thermo, Standard, White, Solid 24" | LF | 5 |
| 11-131 | Thermo, Standard, White Skip 6" | GM | 1125 |
| 11-151 | Thermo, Standard, White, Dotted/Guideline 6-10 Gap, 6" | LF | 1.1 |
| 11-160 | Thermo, Standard, White, Message | EA | 190 |
| 11-170 | Thermo, Standard, White, Arrows | EA | 60 |
| 11-180 | Thermo, Standard, White, Yield Line | LF | 8 |
| 11-211 | Thermo, Standard, Yellow, Solid 6" | NM | 4000 |
| 11-222 | Thermo, Standard, Yellow, Solid 8" | LF | 1.1 |
| 11-223 | Thermo, Standard, Yellow, Solid 12" | LF | 2.5 |
| 11-224 | Thermo, Standard, Yellow, Solid 18" | LF | 3.75 |
| 11-225 | Thermo, Standard, Yellow, Solid 24" | LF | 5 |
| 11-231 | Thermo, Standard, Yellow, Skip 6" | GM | 1125 |
| 11-251 | Thermo, Standard, Yellow, Dotted/Guideline 6-10 Gap, 6" | LF | 1.1 |
| 101-1 | MOBILIZATION | | |
| | Work Order Total \$0.00 - \$50,000 | LS | 7000 |
| | Work Order Total \$50,001 - \$100,000 | LS | 7000 |
| | Work Order Total \$100,001 - \$500,000 | LS | 7000 |
| | Work Order Total Over \$500,000 | LS | 7000 |
| 102-1 | Maintenance of Traffic (MOT) | | |
| | Standard Index 600 Series MOT for 2-Lane, 2-Way Closure | Per Day | 1250 |

BASIS FOR AWARD TOTAL BID: \$45,587.35

ASPHALT PAVING SYSTEMS, INC
Company Name

BID SHEET
PC-008 FULL DEPTH RECLAMATION (FDR)

| Item No. | Description | Unit | Unit Price |
|---------------|--|--------|------------|
| PC-001 | Milling from 0 to 1,000 Square Yards | | |
| PC-001-1 | 0" - 1" | Sq Yd | 6 |
| PC-001-2 | 1.01" - 2" | Sq Yd | 8 |
| PC-001-3 | 2.01" - 3" | Sq Yd | 9 |
| PC-001-4 | 3.01" -4" | Sq Yd | 10 |
| PC-001-5 | greater than 4" | Sq Yd | 11 |
| | Milling from 1,001 to 5,000 Square Yards | | |
| PC-001-6 | 0" - 1" | Sq Yd | 4.75 |
| PC-001-7 | 1.01" - 2" | Sq Yd | 5.5 |
| PC-001-8 | 2.01" - 3" | Sq Yd | 6.25 |
| PC-001-9 | 3.01" -4" | Sq Yd | 6.5 |
| PC-001-10 | greater than 4" | Sq Yd | 6.75 |
| | Milling from 5,001 to 25,000 Square Yards | | |
| PC-001-11 | 0" - 1" | Sq Yd | 2.5 |
| PC-001-12 | 1.01" - 2" | Sq Yd | 3 |
| PC-001-13 | 2.01" - 3" | Sq Yd | 3.5 |
| PC-001-14 | 3.01" -4" | Sq Yd | 4 |
| PC-001-15 | greater than 4" | Sq Yd | 4.5 |
| | Milling over 25,000 Square Yards | | |
| PC-001-16 | 0" - 1" | Sq Yd | 1.75 |
| PC-001-17 | 1.01" - 2" | Sq Yd | 2.25 |
| PC-001-18 | 2.01" - 3" | Sq Yd | 2.75 |
| PC-001-19 | 3.01" -4" | Sq Yd | 3.25 |
| PC-001-20 | greater than 4" | Sq Yd | 3.75 |
| 334 | Asphalt Types from 0 to 100 Tons | | |
| 334-1 | Superpave Asphaltic Concrete (Traffic C, SP 9.5) (PG 67-22) | Ton | 109 |
| 334-1 | Superpave Asphaltic Concrete (Traffic C, SP 12.5) (PG 67-22) | Ton | 107 |
| 337-1 | Superpave Asphaltic Concrete (Traffic C, FC-9.5) (PG 76-22) | Ton | 120 |
| 334 | Asphalt Types from 101 to 1,000 Tons | | |
| 334-1 | Superpave Asphaltic Concrete (Traffic C, SP 9.5) (PG 67-22) | Ton | 99 |
| 334-1 | Superpave Asphaltic Concrete (Traffic C, SP 12.5) (PG 67-22) | Ton | 97 |
| 337-1 | Superpave Asphaltic Concrete (Traffic C, FC-9.5) (PG 76-22) | Ton | 110 |
| 334 | Asphalt Types over 1,001 Tons | | |
| 334-1 | Superpave Asphaltic Concrete (Traffic C, SP 9.5) (PG 67-22) | Ton | 94 |
| 334-1 | Superpave Asphaltic Concrete (Traffic C, SP 12.5) (PG 67-22) | Ton | 92 |
| 337-1 | Superpave Asphaltic Concrete (Traffic C, FC-9.5) (PG 76-22) | Ton | 105 |
| PC-008 | Full Depth Reclamation (FDR) | | |
| PC-008-1 | Excavation for Widening or Unsuitable Material | CY | 25 |
| PC-008-2 | Added RAP or Aggregate | Ton | 18 |
| | Full Depth Reclamation (FDR) from 0 to 25,000 Square Yards | | |
| PC-008-3 | Pulverization | Sq Yd | 7.1 |
| PC-008-4 | Cement - Cement Treatment | Ton | 145 |
| PC-008-5 | Asphaltic Cement - Foamed Asphalt Base | Gallon | 6 |
| PC-008-6 | Asphaltic Emulsion - Emulsion Treated Base | Gallon | 2.45 |
| | Full Depth Reclamation (FDR) from 25,001 to 50,000 Square Yards | | |
| PC-008-7 | Pulverization | Sq Yd | 5.5 |
| PC-008-8 | Cement - Cement Treatment | Ton | 145 |
| PC-008-9 | Asphaltic Cement - Foamed Asphalt Base | Gallon | 6 |
| PC-008-10 | Asphaltic Emulsion - Emulsion Treated Base | Gallon | 2.45 |
| | Full Depth Reclamation (FDR) over 50,000 Square Yards | | |
| PC-008-11 | Pulverization | Sq Yd | 4.5 |
| PC-008-12 | Cement - Cement Treatment | Ton | 145 |
| PC-008-13 | Asphaltic Cement - Foamed Asphalt Base | Gallon | 6 |
| PC-008-14 | Asphaltic Emulsion - Emulsion Treated Base | Gallon | 2.45 |
| | SHOULDER AND ROADSIDE | | |
| 570-1-1 | PERFORMANCE TURF - SEED AND MULCH | SY | 1.95 |
| 570-1-2A | PERFORMANCE TURF - SOD (ST. AUGUSTINE) | SY | 2.75 |

BID SHEET
PC-008 FULL DEPTH RECLAMATION (FDR)

| Item No. | Description | Unit | Unit Price |
|---------------|---|---------|------------|
| 570-1-2B | PERFORMANCE TURF - SOD (BAHIA) | SY | 2.25 |
| 577-70 | SHOULDER REWORK | SY | 1.75 |
| 104-13-1 | SILT FENCE TYPE III | LF | 0.85 |
| 110-10 | MAILBOX (REMOVE AND REPLACE) | EA | 200 |
| PC-012 | REFLECTIVE PAVEMENT MARKERS | | |
| PC-012-1 | REFLECTIVE PAVEMENT MARKERS (REMOVE) | EA | 1 |
| PC-012-2 | FURNISH/INSTALL BI-DIRECTIONAL YELLOW MARKER (A/A) | EA | 5 |
| PC-012-3 | FURNISH/INSTALL BI-DIRECTIONAL WHITE/RED MARKER (C/R) | EA | 5 |
| PC-012-4 | FURNISH/INSTALL MONO-DIRECTIONAL YELLOW MARKER (M/A) | EA | 5 |
| 710 | PAINTED PAVEMENT MARKINGS | | |
| 11-111 | Standard, White, Solid 6" | NM | 1585 |
| 11-122 | Standard, White, Solid 8" | LF | 0.5 |
| 11-123 | Standard, White, Solid 12" | LF | 1.5 |
| 11-124 | Standard, White, Solid 18" | LF | 2.25 |
| 11-125 | Standard, White, Solid 24" | LF | 3 |
| 11-131 | Standard, White Skip 6" | GM | 530 |
| 11-151 | Standard, White, Dotted/Guideline 6-10 Gap, 6" | LF | 0.5 |
| 11-160 | Standard, White, Message | EA | 50 |
| 11-170 | Standard, White, Arrows | EA | 25 |
| 11-180 | Standard, White, Yield Line | LF | 5 |
| 11-211 | Standard, Yellow, Solid 6" | NM | 1585 |
| 11-222 | Standard, Yellow, Solid 8" | LF | 0.5 |
| 11-223 | Standard, Yellow, Solid 12" | LF | 1.5 |
| 11-224 | Standard, Yellow, Solid 18" | LF | 2.25 |
| 11-225 | Standard, Yellow, Solid 24" | LF | 3 |
| 11-231 | Standard, Yellow, Skip 6" | GM | 675 |
| 11-251 | Standard, Yellow, Dotted/Guideline 6-10 Gap, 6" | LF | 0.5 |
| 711 | Thermoplastic Pavement Markings (711) | | |
| 11-111 | Thermo, Standard, White, Solid 6" | NM | 4000 |
| 11-122 | Thermo, Standard, White, Solid 8" | LF | 1.2 |
| 11-123 | Thermo, Standard, White, Solid 12" | LF | 2.5 |
| 11-124 | Thermo, Standard, White, Solid 18" | LF | 3.75 |
| 11-125 | Thermo, Standard, White, Solid 24" | LF | 5 |
| 11-131 | Thermo, Standard, White Skip 6" | GM | 1125 |
| 11-151 | Thermo, Standard, White, Dotted/Guideline 6-10 Gap, 6" | LF | 1.1 |
| 11-160 | Thermo, Standard, White, Message | EA | 190 |
| 11-170 | Thermo, Standard, White, Arrows | EA | 60 |
| 11-180 | Thermo, Standard, White, Yield Line | LF | 8 |
| 11-211 | Thermo, Standard, Yellow, Solid 6" | NM | 4000 |
| 11-222 | Thermo, Standard, Yellow, Solid 8" | LF | 1.1 |
| 11-223 | Thermo, Standard, Yellow, Solid 12" | LF | 2.5 |
| 11-224 | Thermo, Standard, Yellow, Solid 18" | LF | 3.75 |
| 11-225 | Thermo, Standard, Yellow, Solid 24" | LF | 5 |
| 11-231 | Thermo, Standard, Yellow, Skip 6" | GM | 1125 |
| 11-251 | Thermo, Standard, Yellow, Dotted/Guideline 6-10 Gap, 6" | LF | 1.1 |
| 101-1 | MOBILIZATION | | |
| | Work Order Total \$0.00 - \$50,000 | LS | 7000 |
| | Work Order Total \$50,001 - \$100,000 | LS | 7000 |
| | Work Order Total \$100,001 - \$500,000 | LS | 7000 |
| | Work Order Total Over \$500,000 | LS | 7000 |
| 102-1 | Maintenance of Traffic (MOT) | | |
| | Standard Index 600 Series MOT for 2-Lane, 2-Way Closure | Per Day | 1250 |

BASIS FOR AWARD TOTAL BID: \$46,039.50

ASPHALT PAVING SYSTEMS, INC
Company Name

**BID SHEET
PC-009 FOG SEAL**

| Item No. | Description | Unit | Unit Price |
|---------------|---|---------|------------|
| PC-009 | FOG SEAL | | |
| | 0 - 25,000 | SY | 0.55 |
| | 25,001 - 50,000 | SY | 0.4 |
| | 50,001 AND OVER | SY | 0.35 |
| 902-2 | Silica Sand | SY | 0.15 |
| PC-011 | STRIPING AND PAVEMENT MARKING REMOVAL | | |
| PC-011-1 | REMOVAL BY WATER BLASTING | SF | 1 |
| PC-011-2 | REMOVAL BY GRINDING | SF | 0.5 |
| PC-012 | REFLECTIVE PAVEMENT MARKERS | | |
| PC-012-1 | REFLECTIVE PAVEMENT MARKERS (REMOVE) | EA | 1 |
| PC-012-2 | FURNISH/INSTALL BI-DIRECTIONAL YELLOW MARKER (A/A) | EA | 5 |
| PC-012-3 | FURNISH/INSTALL BI-DIRECTIONAL WHITE/RED MARKER (C/R) | EA | 5 |
| PC-012-4 | FURNISH/INSTALL MONO-DIRECTIONAL YELLOW MARKER (M/A) | EA | 5 |
| 710 | PAINTED PAVEMENT MARKINGS | | |
| 11-111 | Standard, White, Solid 6" | NM | 1585 |
| 11-122 | Standard, White, Solid 8" | LF | 0.5 |
| 11-123 | Standard, White, Solid 12" | LF | 1.5 |
| 11-124 | Standard, White, Solid 18" | LF | 2.25 |
| 11-125 | Standard, White, Solid 24" | LF | 3 |
| 11-131 | Standard, White Skip 6" | GM | 530 |
| 11-151 | Standard, White, Dotted/Guideline 6-10 Gap, 6" | LF | 0.5 |
| 11-160 | Standard, White, Message | EA | 50 |
| 11-170 | Standard, White, Arrows | EA | 25 |
| 11-180 | Standard, White, Yield Line | LF | 5 |
| 11-211 | Standard, Yellow, Solid 6" | NM | 1585 |
| 11-222 | Standard, Yellow, Solid 8" | LF | 0.5 |
| 11-223 | Standard, Yellow, Solid 12" | LF | 1.5 |
| 11-224 | Standard, Yellow, Solid 18" | LF | 2.25 |
| 11-225 | Standard, Yellow, Solid 24" | LF | 3 |
| 11-231 | Standard, Yellow, Skip 6" | GM | 675 |
| 11-251 | Standard, Yellow, Dotted/Guideline 6-10 Gap, 6" | LF | 0.5 |
| 711 | Thermoplastic Pavement Markings (711) | | |
| 11-111 | Thermo, Standard, White, Solid 6" | NM | 4000 |
| 11-122 | Thermo, Standard, White, Solid 8" | LF | 1.2 |
| 11-123 | Thermo, Standard, White, Solid 12" | LF | 2.5 |
| 11-124 | Thermo, Standard, White, Solid 18" | LF | 3.75 |
| 11-125 | Thermo, Standard, White, Solid 24" | LF | 5 |
| 11-131 | Thermo, Standard, White Skip 6" | GM | 1125 |
| 11-151 | Thermo, Standard, White, Dotted/Guideline 6-10 Gap, 6" | LF | 1.1 |
| 11-160 | Thermo, Standard, White, Message | EA | 190 |
| 11-170 | Thermo, Standard, White, Arrows | EA | 60 |
| 11-180 | Thermo, Standard, White, Yield Line | LF | 8 |
| 11-211 | Thermo, Standard, Yellow, Solid 6" | NM | 4000 |
| 11-222 | Thermo, Standard, Yellow, Solid 8" | LF | 1.1 |
| 11-223 | Thermo, Standard, Yellow, Solid 12" | LF | 2.5 |
| 11-224 | Thermo, Standard, Yellow, Solid 18" | LF | 3.75 |
| 11-225 | Thermo, Standard, Yellow, Solid 24" | LF | 5 |
| 11-231 | Thermo, Standard, Yellow, Skip 6" | GM | 1125 |
| 11-251 | Thermo, Standard, Yellow, Dotted/Guideline 6-10 Gap, 6" | LF | 1.1 |
| 101-1 | MOBILIZATION | | |
| | Work Order Total \$0.00 - \$50,000 | LS | 200 |
| | Work Order Total \$50,001 - \$100,000 | LS | 200 |
| | Work Order Total \$100,001 - \$500,000 | LS | 200 |
| | Work Order Total Over \$500,000 | LS | 200 |
| 102-1 | Maintenance of Traffic (MOT) | | |
| | Standard Index 600 Series MOT for 2-Lane, 2-Way Closure | Per Day | 1250 |

BASIS FOR AWARD TOTAL BID: \$17,074.45

| ADDITIONAL PRICING FOR INFORMATION | | | |
|---|--|----|------|
| SHOULDER AND ROADSIDE | | | |
| 570-1-1 | PERFORMANCE TURF - SEED AND MULCH | SY | 1.95 |
| 570-1-2A | PERFORMANCE TURF - SOD (ST. AUGUSTINE) | SY | 2.75 |
| 570-1-2B | PERFORMANCE TURF - SOD (BAHIA) | SY | 2.25 |
| 577-70 | SHOULDER REWORK | SY | 1.75 |
| 104-13-1 | SILT FENCE TYPE III | LF | 0.85 |
| 110-10 | MAILBOX (REMOVE AND REPLACE) | EA | 200 |

ASPHALT PAVING SYSTEMS, INC

 Company Name

SIGNATURE ACKNOWLEDGEMENT (SUBMITTAL PAGE)

To Polk County, a Political Subdivision of the State of Florida

Date: 9/16/15

I certify that this bid is made without prior understanding, agreement or connection with any corporation, firm or person submitting a bid for the same construction, service or material and is in all respects fair and without collusion or fraud. I agree to abide by all conditions of this bid and certify that I have read and understand the bidding documents. I have completed and submitted all bid submittal forms, and I am authorized to sign this bid for the bidder. In submitting a bid to the County, the bidder offers and agrees that if the bid is accepted, the bidder will convey, sell, assign or transfer to the County all rights, titles and interests in and to all causes of action it may now or hereafter acquire under the Anti-Trust Laws of the United States and the State of Florida for price fixing relating to the particular commodities or services purchased or acquired by the County. At the County's discretion, such assignment shall be made and become effective at the time the County tenders final payment to the bidder.

ASPHALT PAVING SYSTEMS, INC
VENDOR NAME

[Signature]
AUTHORIZED SIGNATURE (MANUAL)

9021 WIRE ROAD
MAILING ADDRESS

ROBERT CAPOFERRI
NAME (TYPED OR PRINTED)

ZEPHYRHILLS, FL 33540
CITY, STATE AND ZIP CODE

PRESIDENT
TITLE (TYPED OR PRINTED)

(813) 788-0010
(AREA CODE) TELEPHONE NUMBER

N/A
TOLL FREE NUMBER

ponderosamark@hotmail.com
E-MAIL ADDRESS

This bid may be used by any other Government Agency. YES [] NO [] N/A

Date: August 21, 2015

**POLK COUNTY, A POLITICAL SUBDIVISION OF THE
STATE OF FLORIDA**

**ADDENDUM #1
Bid No. 15-601**

Pavement Management Alternative Methods

This addendum is issued to clarify, add to, revise and/or delete items of the solicitation document(s) for this work. This Addendum is a part of the solicitation document(s) and acknowledgment of its receipt shall be noted below and on the Bid Submittal Form.

The Procurement and Transportation Division will conduct **a pre-bid conference to be held Thursday, August 27, 2015, 12:30 p.m.** in the Procurement Division conference room, located at 330 W. Church St, Room 150, Bartow, FL 3830.

Tammy G. Spearman

Tammy G. Spearman, CPPO, CPPB
Procurement Specialist
Procurement Division

**This Addendum sheet must be signed and faxed to the
Procurement Division at 863-534-6789.**

Signature:



Printed Name:

MARK ROHRBACH

Title:

ESTIMATOR

Company:

ASPHALT PAVING SYSTEMS, INC

Date: September 1, 2015

**POLK COUNTY, A POLITICAL SUBDIVISION OF THE
STATE OF FLORIDA**

**ADDENDUM #2
Bid No. 15-601**

Pavement Management Alternative Methods

This addendum is issued to clarify, add to, revise and/or delete items of the solicitation document(s) for this work. This Addendum is a part of the solicitation document(s) and acknowledgment of its receipt shall be noted below and on the Bid Submittal Form.

The question deadline has been extended one (1) week. The **revised** Question deadline is Tuesday, September 8, 2015 by 4:00 p.m.


The Bid Receiving Date has been extended one (1) week. The **revised** Bid Receiving Date is Wednesday, September 16, 2015, prior to 2:00 p.m.

Tammy G. Spearman

Tammy G. Spearman, CPPO, CPPB
Procurement Specialist
Procurement Division

**This Addendum sheet must be signed and faxed to the
Procurement Division at 863-534-6789.**

Signature:



Printed Name:

MARK ROHRBACH

Title:

ESTIMATOR

Company:

ASPHALT PAVING SYSTEMS, INC

Date: September 3, 2015

**POLK COUNTY, A POLITICAL SUBDIVISION OF THE
STATE OF FLORIDA**

**ADDENDUM #3
BID# 15-601**

Pavement Management Alternative Methods

This addendum is issued to clarify, add to, revise and/or delete items of the Contract Documents for this work. This Addendum is a part of the Contract Documents and acknowledgment of its receipt shall be noted below and on the Bid Submittal Form.

The bid document and bid submittal sheets has been modified significantly and included in this addendum; responses to questions received are included also.

Tammy G. Spearman

Tammy G. Spearman, CPPO, CPPB
Procurement Specialist
Procurement Division

**This Addendum sheet must be signed and faxed to the
Procurement Division at 863-534-6789.**

Signature:



Printed Name:

MARK ROHRBACH

Title:

ESTIMATOR

Company:

ASPHALT PAVING SYSTEMS, INC

REFERENCES/EXPERIENCE - Below is a very abbreviated list of experience on Recycle, Reclaim, Micro, and Chip Seal projects for Asphalt Paving Systems in the last three years. We have been performing this type of work for well over fifteen years. We are providing a short list. A more detailed list can be provided. Many of our employees have experience in all of these processes going back fifteen to twenty years.

RECYCLE - CIR

Orange County, FL
City of Tampa
Hendry County, FL
St Johns County, FL
City of Kissimmee
City of Tallahassee
St Lucie County, FL
Bay County, FL
Nassau County, FL
City of Lady Lake

RECLAIM - FDR

St Lucie County, FL
City of Port St Lucie
City of West Palm Beach
City of Tamarac
Manatee County, FL
Charlotte County, FL
Pasco County, FL
Hernando County, FL
Marion County, FL
Nassau County, FL
Jackson County, FL
City of Tampa
City of Largo
City of Dunedin

MICRO-SURFACING

City of Lakeland
Lake County, FL
Sumter County, FL
Citrus County, FL
Volusia County, FL
City of Zephyrhills
City of Tampa
Manatee County
Marion County, FL
City of Ft Lauderdale
City of Jacksonville
St Lucie County, FL
Okaloosa County, FL
City of Dania Beach
City of Cocoa Beach
City of Sarasota
City of Largo
City of Indian Rocks
City of Mount Dora
Nassau County
City of Tallahassee

CHIP SEAL / FOG SEAL

Nassau County, FL
St Lucie County, FL
Glades County, FL
Osceola County, FL
Manatee County, FL
St Johns County, FL
Okaloosa County, FL
Jackson County, FL
Marion County, FL
Volusia County, FL

CRACK SEAL

City of Tampa
City of Ft Lauderdale
Sumter County, FL
Lake County, FL
City of Lady Lake
Volusia County, FL
Okaloosa County, FL
City of Ft Lauderdale
City of Stuart
City of Jacksonville
Volusia County, FL
City of Largo
City of Seminole
City of Zephyrhills

Asphalt Paving Systems, Inc.

Key Personnel: CIPR, Micro, Chip & Full Depth Reclamation Experience

| Individual's Name | Title | Years Experience | Primary Office |
|--------------------------|-----------------------|-------------------------|-----------------------|
| Robert Capoferri | CEO | 30 | Florida |
| Kenneth Messina | Operations Manager | 25 | Florida & New Jersey |
| Robert Bevilacqua | Project Manager | 30 | Florida & New Jersey |
| Tom Donald | FL Operations Manager | 28 | Florida |
| Mark Rohrbach | Project Manager | 15 | Florida |
| Dennis Williams | Superintendent | 25 | Florida |
| Leon Rubba | Equipment Operator | 10 | Florida |
| Jeff Daunoras | Grader Operator | 25 | Florida |
| Dan Conner | Pulverizer Operator | 15 | Florida & New Jersey |
| Francisco Alvarado | Laborer | 4 | Florida |
| Jacob Stockwell | Foreman | 10 | Florida |
| Mike Mobley | Laborer | 7 | Florida |
| Ron Maccarella | Laborer | 15 | Florida & New Jersey |



P.O. Box 530 • Hammonton NJ 08037
 Phone (609) 561-4161 • Fax (609) 561-0920

Equipment List

| <u>Quantity</u> | <u>Make</u> | <u>Year</u> | <u>Model</u> | <u>Description</u> |
|-----------------|-------------|-------------|---------------------|-------------------------|
| 3 | Bergkamp | | | Mobil Mix Paver |
| 1 | Bergkamp | 1993 | | Mobil Mix Paver |
| 3 | Bergkamp | 1996 | | Mobil Mix Paver |
| 1 | Bergkamp | 1999 | | M-1 Paver |
| 4 | Bergkamp | 1999 | | Mobile Support Trucks |
| 4 | Bergkamp | 1999 | | Mobile Support Trailers |
| 2 | Ford | 1999 | F350 | Stake Body |
| 2 | Ford | 2001 | F350 | Utility Body |
| 4 | Ford | 2001 | F350 | Crew Cabs |
| 1 | Athey Mobil | 2007 | | Broom |
| 2 | CAT | 1996 | PS-130 | Rubber Tire Roller |
| 2 | CAT | 2004 | PS-360 | Rubber Tire Roller |
| 1 | CAT | 2004 | 938 | Loader |
| 1 | CAT | 2004 | 938 | Loader |
| 1 | CAT | 1998 | 926 | Loader |
| 2 | Etnyre | 1998 | Series 6000 | Bulk Tanker |
| 4 | Fruehauf | 1992 | 6000 gal | Bulk Tanker |
| 3 | Heil | 1991 | 6500 | Bulk Tanker |
| 2 | Etnyre | 1990 | 6000 | Bulk Tanker |
| 1 | Etnyre | 2000 | Centenial (1000) | Oil Distributor |
| 2 | Etnyre | 1998 | Black Topper (2000) | Oil Distributor |
| 1 | Etnyre | 2007 | Model 4WD (K-6002) | Chipper (10-20') |



P.O. Box 530 • Hammonton NJ 08037
 Phone (609) 561-4161 • Fax (609) 561-0920

EQUIPMENT LIST

| <u>Quantity</u> | <u>Make</u> | <u>Year</u> | <u>Model</u> | <u>Description</u> |
|-----------------|----------------|-------------|--------------|---------------------------|
| 1 | Roadtec | 2000 | RX68B | Road Profiler / Recycler |
| 1 | Roadtec | 1998 | RX68B | Road Profiler / Recycler |
| 2 | Wirtgen | 1998 | WR2500 | Road Reclaimer / Recycler |
| 1 | Wirtgen | 2005 | W600 | Cold Planer |
| 1 | Bartmill | 1999 | 300BT | Cold Planer |
| 1 | Caterpillar | 2007 | D5 | Dozer |
| 1 | Caterpillar | 1999 | I2G | Grader |
| 2 | Caterpillar | 2003 | 140H | Grader |
| 1 | Caterpillar | 1997 | 950F | Rubber Tire Loader |
| 3 | Caterpillar | 2005 | 938G | Rubber Tire Loader |
| 2 | Caterpillar | 1994 | 936F | Rubber Tire Loader |
| 1 | Caterpillar | 2000 | 325BL | Hydraulic Excavator |
| 7 | Caterpillar | 2004 | 416B | Backhoe |
| 2 | Caterpillar | 2006 | 426B | Backhoe |
| 1 | Roadtec | 1999 | RP180 | Paver |
| 1 | Roadtec | 2000 | RP185 | Paver |
| 1 | Caterpillar | 1999 | 634C | Asphalt Roller |
| 1 | Ingersoll Rand | 1999 | DD90 | Asphalt Roller |
| 1 | Caterpillar | 1995 | 214C | Asphalt Roller |
| 2 | Caterpillar | 1997 | 224C | Asphalt Roller |
| 1 | Ingersoll Rand | 1997 | DD110 | Asphalt Roller |
| 2 | Dresser | 1998 | 712 | Roller |
| 1 | Dresser | 1998 | 512 | Roller |
| 1 | Caterpillar | 2007 | 563C | Roller |
| 1 | Caterpillar | 1998 | 433C | Roller |
| 1 | Etnyre | 1998 | | Distributor |
| 2 | Etnyre | 2004 | | Distributor |
| 10 | Ford | 2007 | F9000 | Triaxle Dump Truck |
| 1 | Ford | 2006 | F9000 | Triaxle Dump Truck |
| 1 | Ford | 2005 | F9000 | Tandem Dump Truck |
| 2 | Ford | 2008 | F9000 | Tractor |
| 2 | Ford | 2008 | F9000 | Tractor |
| 2 | Ford | 2004 | F9000 | Tractor |
| 3 | Ford | 1999 | F8000 | Water Truck |
| 5 | Talbert | | | Lowbed Trailer |
| 6 | | | | Emulsion Tanker |
| 2 | | | | Dump Trailer |
| 1 | East | | | Sweeper |
| 1 | Athey | 1999 | 2TE4DHL | Sweeper |
| 2 | Bobcat | 1998 | 853C | Cold Planer |
| 4 | Caterpillar | 1996 | PS180 | Rubber Tire Roller |
| 1 | Dynapac | 1999 | CP271 | Rubber Tire Roller |
| 1 | Caterpillar | 2005 | PS360 | Rubber Tire Roller |
| 1 | Ford | 1987 | F-900 | Cement Truck |

Listing of Prequalified Contractors

Contractor with Name ASPHALT PAVING SYSTEMS, INC.
1-1 of 1 contractors

| VENDOR NAME | HOME OFFICE ADDRESS | BIDDING OFFICE ADDRESS |
|---|---|--|
| ASPHALT PAVING SYSTEMS, INC. F223787755009 EXPIRES: 6/30/2016 | PO BOX 530 HAMMONTON, NJ 08037-0530 (609)561-4161 | 9021 WIRE ROAD ZEPHYRHILLS, FL 33540 (813)788-0010 |
| WORK CLASSES | | |
| DRAINAGE | FLEXIBLE PAVING | |
| GRADING | HOT PLANT-MIXED BITUM. COURSES | |

**DRUG-FREE WORKPLACE FORM
(SUBMITTAL PAGE)**

The undersigned vendor in accordance with Florida Statute 287.087 hereby certifies

that ASPHALT PAVING SYSTEMS, INC does:
(Name of Business)

1. Publish a statement notifying employees that the unlawful manufacture, distribution, dispensing, possession or use of a controlled substance is prohibited in the workplace and specifying the actions that will be taken against employees for violations of such prohibition.
2. Inform employees about the dangers of drug abuse in the workplace, the business's policy of maintaining a drug-free workplace, any available drug counseling, rehabilitation programs, employee assistance programs and the penalties that may be imposed upon employees for drug abuse violations.
3. Give each employee engaged in providing the commodities or contractual services that are under bid a copy of the statement specified in subsection (1).
4. In the statement specified in subsection (1), notify the employees that, as a condition of working on the commodities or contractual services that are under bid, the employee will abide by the terms of the statement and will notify the employer of any conviction of, plea of guilty or nolo contendere to, any violation of Chapter 1893 or of any controlled substance law of the United States or any state, for a violation occurring in the workplace no later than five (5) days after such conviction.
5. Impose a sanction on or require the satisfactory participation in a drug abuse assistance or rehabilitation program, if such is available in the employee's community, by any employee who is so convicted.
6. Make a good faith effort to continue to maintain a drug-free workplace through implementation of this section.

As the person authorized to sign the statement, I certify that this firm complies fully with the above requirements.



 ROBERT CAPOFERRI, PRESIDENT
 Bidder's Signature

 9/16/15

 Date

NON-COLLUSION AFFIDAVIT OF PRIME BIDDER (SUBMITTAL PAGE)

State of FLORIDA

County of PASCO

ROBERT CAPOFERRI, being first duly sworn, deposes and says that:

- 1. He/she is PRESIDENT of ASPHALT PAVING SYSTEMS, INC, the Bidder that has submitted the attached Bid;
2. He/she is fully informed respecting the preparation and contents of the attached Bid and of all pertinent circumstance respecting such Bid;
3. Such Bid is genuine and is not a collusive or sham Bid;
4. Neither the said Bidders nor any of its officers, partners, owners, agents, representatives, employees or parties in interest, including this affiant, has in any way colluded, conspired, connived or agreed, directly or indirectly, with any other Bidder, firm or person to submit a collusive or sham Bid in connection with such Contract or has in any manner, directly or indirectly, sought by agreement or collusion of communication or conference with any other Bidder, firm or person to fix the price or prices in the attached bid of any other Bidder, or to fix any overhead, profit or cost element of the Bid Price or the Bid Price of any other Bidder, or to secure through any collusion, conspiracy, connivance or unlawful agreement any advantage against the County or any person interested in the proposed Contract; and
5. The price or prices quoted in the attached Bid are fair and proper and are not tainted by any collusion, conspiracy, connivance or unlawful agreement on the part of the Bidder or any of its agents, representatives, owners, employees or parties in interest, including this affiant.

Signed: [Signature] ROBERT CAPOFERRI
Title: PRESIDENT

Subscribed and sworn to before me this 16TH day of SEPTEMBER, 20 15

(Title) MARK S ROHRBACH
EE 139016
My Commission Expires 10/17/2015
[Signature]



INSURANCE REQUIREMENTS

The successful vendor shall purchase and maintain in force during the contract period the insurance as specified with an insurer licensed to do business in the State of Florida; rated "A VIII" or better by A.M. Best Rating Company for Class VIII financial size category. Polk County, a political subdivision of the State of Florida, must be named as an additional insured with respect to liability arising from all work being performed for Polk County, for Automobile and General Liability policies of insurance. The certificate holder must be Polk County, a political subdivision of the State of Florida, 330 W Church St, Rm 150, Bartow, Florida 33830. Workers' Compensation Insurance is required to provide statutory benefits, including those that may be required by any applicable federal statute. Any sole proprietor or partner actively engaged in the construction industry, and any corporate officer of a construction or non-construction industry corporation who elects to be exempt from the provisions of the workers' compensation law must provide either a workers' compensation exemption certificate (construction industry) or a letter stating the exemption status and number of employees (non-construction industry). For non-exempt vendors, Employers Liability in the amount of \$1,000,000. Commercial General Liability Insurance \$1,000,000 combined single limit of liability for bodily injuries, death, and property damage, and personal injury resulting from any one occurrence, including the following coverages: Completed Operations, Broad Form CG. Comprehensive Automobile Liability Insurance \$1,000,000; combined single limit of liability for bodily injuries, death and property damage resulting from any one occurrence, including all owned, hired and non-owned vehicles. The general liability and worker's compensation policies shall contain a waiver of subrogation in favor of Polk County. An original certificate of insurance must be on file in the Procurement Division before a purchase order will be issued.


INSURANCE (SUBMITTAL PAGE)

By signing below the Bidder is stating that they fully understand the insurance requirements for the project and if awarded the bid will provide all insurance coverage as required in Bid No. 15-601.

The requirements are as follows:

- Bidder is insured with a company licensed to do business in the State of Florida
- The insurance company is rated A VIII or better by A.M. Best Rating Company (Workers Compensation, General and Automobile policies)
- Polk County will be named as an additional insured for general and automobile liability
- The General Liability and Worker's Compensation policies will contain waiver of subrogation in favor of Polk County

ASPHALT PAVING SYSTEMS, INC
Company Name


Bidder (signature)
ROBERT CAPOFERRI, PRESIDENT

SAFETY REQUIREMENTS/REGULATIONS

1.0 All Bidders are required to submit, with their Bid Proposal, the Safety Requirements/Regulations form. Any questions regarding compliance with the safety requirements/regulations provision shall be directed to the County Safety Officer, Risk Management, at (863) 534-5267.

1.1 The Contractor is responsible for observing all OSHA regulations and shall self-inspect to ensure this is accomplished. The Contractor shall ensure that all personnel are properly trained and shall be able to provide documentation for their personnel that have attended training courses. Examples of such training courses are: Hazard Communications, Traffic Work Zone Safety, Personal Protective Equipment, First Aid/CPR, Permit Required Confined Space, Lock out/Tag Out of Hazardous Energy. All contractors are required to comply with OSHA Standards regardless of the number of employees they may have.

1.2 A County representative may periodically monitor work site safety. Should there be safety and/or health violations, classified as Serious, Willful or Criminal/Willful Violations, the County's representative may have the authority, but not the duty, to require the Contractor to correct the violation in an expeditious manner. Inspections shall be based on requirements contained in law. The definitions of serious, willful and criminal/willful violations are as follows:

Serious Violation: A serious violation shall be deemed to exist in a place of employment if there is a substantial probability that death or serious physical harm could result from a condition which exists, or from one or more practices, means, methods, operations, or processes which have been adopted or are in use, in such place of employment unless the employer did not, and could not, with the exercise of reasonable diligence, know of the presence of the violation.

Willful Violation: May exist where evidence shows that the employer committed an intentional and knowing violation of the Act.

Criminal/Willful Violation: A repeat violation of a previously cited willful violation.

Violation of Serious, Willful or Criminal violation may have the following consequences:

First violation: correction may be a verbal warning and the correction shall be done the same day. Written documentation may be maintained by the County.

Second violation: may result in work stoppage until the violation is corrected. The work stoppage shall not entitle the Contractor to additional contract time or compensation. Liquidated damages provision will remain in full force and effect.

Third violation: this may constitute a breach of contract for safety violations and may result in termination of the contract at the sole discretion of the County.

Note: The County Safety Officer may stop any job to ensure the safety of all concerned.

1.3 Should the work site be in a hazardous area, the County shall furnish the Contractor with information concerning hazards such as types or identification of known toxic material, machine hazards, Material Safety Data Sheets, or any other information that would assist the Contractor in the planning of a safe work site.

1.4 The Contractor shall be aware that while working for the County, representatives from agencies such as the United States Department of Labor, Occupational Safety and Health Administration (OSHA), and the Division of Safety, State of Florida, are invitees and need not have warrants or permission to enter the work site. These agencies, as well as the County Safety Officer, enter at the pleasure of the County.

1.5 The Contractor shall designate a competent person of its organization whose duty shall be the prevention of accidents at the site. This person shall be the Contractor's superintendent unless otherwise designated in writing by the Contractor to the County. All communications to the superintendent shall be as binding as if given to the Contractor.

SAFETY REQUIREMENTS/REGULATIONS FORM

Bidder must sign and have notarized:

The undersigned bidder hereby certifies that they fully understand the safety requirements/regulation provisions and will comply.

Dated this 16TH day of SEPTEMBER 20 15

Name of Firm ASPHALT PAVING SYSTEMS, INC

By 

ROBERT CAPOFERRI

PRESIDENT

Title of Person Signing

(SEAL)

SWORN TO AND SUBSCRIBED BEFORE ME

This 16TH day of SEPTEMBER 20 15

Notary Public: 

My Commission Expires: 10/17/2015



**AFFIDAVIT CERTIFICATION
IMMIGRATION LAWS**


SOLICITATION NO.: 15-601 PROJECT NAME: Pavement Management Alternative Methods

POLK COUNTY WILL NOT INTENTIONALLY AWARD COUNTY CONTRACTS TO ANY CONTRACTOR WHO KNOWINGLY EMPLOYS UNAUTHORIZED ALIEN WORKERS, CONSTITUTING A VIOLATION OF THE EMPLOYMENT PROVISIONS CONTAINED IN 8 U.S.C. SECTION 1324 a(e) {SECTION 274A(e) OF THE IMMIGRATION AND NATIONALITY ACT ("INA").

POLK COUNTY MAY CONSIDER THE EMPLOYMENT BY ANY CONTRACTOR OF UNAUTHORIZED ALIENS A VIOLATION OF SECTION 274A(e) OF THE INA. **SUCH VIOLATION BY THE RECIPIENT OF THE EMPLOYMENT PROVISIONS CONTAINED IN SECTION 274A(e) OF THE INA SHALL BE GROUNDS FOR UNILATERAL CANCELLATION OF THE CONTRACT BY POLK COUNTY.**

BIDDER ATTESTS THAT THEY ARE FULLY COMPLIANT WITH ALL APPLICABLE IMMIGRATION LAWS (SPECIFICALLY TO THE 1986 IMMIGRATION ACT AND SUBSEQUENT AMENDMENTS).

Company Name: ASPHALT PAVING SYSTEMS, INC

| | | |
|---|-----------|---------|
|  | PRESIDENT | 9/16/15 |
| Signature <u>ROBERT CAPOFERRA</u> | Title | Date |

STATE OF: FLORIDA
COUNTY OF: PASCO

The foregoing instrument was signed and acknowledged before me this 16TH day of SEPTEMBER, 20 15, by ROBERT CAPOFERRA who has produced
(Print or Type Name)

FL DRIVER'S LICENSE as identification.
(Type of Identification and Number)


Notary Public Signature

MARK S ROHRBACH
Printed Name of Notary Public

EE 139016 / 10/17/2015
Notary Commission Number/Expiration

